Revision Date: 12/17/2019

SAFETY DATA SHEET

1. Identification

Product identifier: CLR® SPOTLESS STAINLESS STEEL

Other means of identification

SDS number: RE1000003607

Recommended restrictions

Product use: Cleaner

Restrictions on use: Not known.

Manufacturer/Importer/Distributor Information

Manufacturer

Company Name: JELMAR

Address: 5550 W. TOUHY AVENUE SUITE 200

SKOKIE,IL 60077-1039

Telephone: 847-675-8400

Fax:

Emergency telephone number: 1-866-836-8855

2. Hazard(s) identification

Hazard Classification

Physical Hazards

Flammable aerosol Category 1

Health Hazards

Aspiration Hazard Category 1

Label Elements

Hazard Symbol:



Signal Word: Danger

Hazard Statement: Extremely flammable aerosol.

May be fatal if swallowed and enters airways.

Precautionary Statements

Prevention: Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. Do not spray on an open flame or other ignition

source. Do not pierce or burn, even after use.

Revision Date: 12/17/2019

Response: IF SWALLOWED: Immediately call a POISON CENTER/doctor Do NOT

induce vomiting.

Storage: Protect from sunlight. Do not expose to temperatures exceeding

50°C/122°F. Store locked up.

Disposal: Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Hazard(s) not otherwise classified (HNOC):

None.

3. Composition/information on ingredients

Mixtures

Chemical Identity	CAS number	Content in percent (%)*
Butane	106-97-8	10 - <20%
Distillates (petroleum), hydrotreated light	64742-47-8	10 - <20%
White mineral oil (petroleum)	8042-47-5	10 - <20%
Propane	74-98-6	1 - <5%
Siloxanes and Silicones, di-Me	63148-62-9	1 - <5%

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Ingestion: Call a physician or poison control center immediately. Rinse mouth. Never

give liquid to an unconscious person. If vomiting occurs, keep head low so

that stomach content doesn't get into the lungs.

Inhalation: Move to fresh air.

Skin Contact: Remove contaminated clothing and wash the skin thoroughly with soap and

water after work.

Eye contact: Rinse immediately with plenty of water.

Most important symptoms/effects, acute and delayed

Symptoms: No data available.

Hazards: No data available.

Indication of immediate medical attention and special treatment needed

Treatment: No data available.

5. Fire-fighting measures

General Fire Hazards: Use water spray to keep fire-exposed containers cool. Fight fire from a

protected location. Move containers from fire area if you can do so without

risk.

Suitable (and unsuitable) extinguishing media

Revision Date: 12/17/2019

Suitable extinguishing

media:

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media:

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical:

Vapors may travel considerable distance to a source of ignition and flash

back.

Special protective equipment and precautions for firefighters

Special fire fighting

procedures:

No data available.

Special protective equipment

for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep

upwind.

Methods and material for containment and cleaning

up:

Stop the flow of material, if this is without risk. Absorb with sand or other

inert absorbent.

Notification Procedures: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in

immediate area). Stop leak if you can do so without risk.

Environmental Precautions: Avoid release to the environment. Prevent further leakage or spillage if safe

to do so. Do not contaminate water sources or sewer. Environmental

manager must be informed of all major spillages.

7. Handling and storage

Precautions for safe handling: Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. Do not spray on an open flame or other ignition

source. Do not pierce or burn, even after use.

Conditions for safe storage,

including any incompatibilities:

Store locked up. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after

use. Aerosol Level 1

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Туре	Exposure Limit Values	Source
Butane	REL	800 ppm 1,900 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	STEL	1,000 ppm	US. ACGIH Threshold Limit Values (03 2018)
	TWA	800 ppm 1,900 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Distillates (petroleum), hydrotreated light	REL	100 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
Distillates (petroleum), hydrotreated light - Non- aerosol as total hydrocarbon vapor	TWA	200 mg/m3	US. ACGIH Threshold Limit Values (2008)

Revision Date: 12/17/2019

	TWA	200 mg/m3	US. ACGIH Threshold Limit Values (2008)
White mineral oil (petroleum) - Mist.	REL	5 mg/m3	B US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	PEL	5 mg/m3	B US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	STEL	10 mg/m3	B US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	TWA	5 mg/m3	B US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
White mineral oil (petroleum) - Inhalable fraction.	TWA	5 mg/m3	B US. ACGIH Threshold Limit Values (01 2010)
Propane	REL	1,000 ppm 1,800 mg/m3	B US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	PEL	1,000 ppm 1,800 mg/m3	B US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	1,000 ppm 1,800 mg/m3	3 US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Acetic acid, phenylmethyl ester	TWA	10 ppm	US. ACGIH Threshold Limit Values (2008)

Appropriate Engineering Controls

No data available.

Individual protection measures, such as personal protective equipment

General information: Use personal protective equipment as required. Personal protection

equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

Eye/face protection: Wear goggles/face shield.

Skin Protection

Hand Protection: No data available.

Other: No data available.

Respiratory Protection: In case of inadequate ventilation use suitable respirator. Seek advice from

local supervisor.

Hygiene measures: When using do not smoke. Observe good industrial hygiene practices.

9. Physical and chemical properties

Appearance

Physical state: liquid

Form: Spray Aerosol Color: No data available. Odor: No data available. Odor threshold: No data available. pH: No data available. Melting point/freezing point: No data available. Initial boiling point and boiling range: No data available. Flash Point: -104.44 °C

Evaporation rate:No data available.
Flammability (solid, gas):
No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

Flammability limit - lower (%):

Explosive limit - upper (%):

No data available.

No data available.

No data available.

No data available.

Revision Date: 12/17/2019

Vapor pressure: 3,447 - 4,826 hPa (20 °C)

Vapor density:No data available.Density:No data available.Relative density:No data available.

Solubility(ies)

Solubility in water:

Solubility (other):

No data available.

No data available.

No data available.

No data available.

Auto-ignition temperature:No data available.Decomposition temperature:No data available.Viscosity:No data available.

10. Stability and reactivity

Reactivity: No data available.

Chemical Stability: Material is stable under normal conditions.

Possibility of hazardous

reactions:

No data available.

Conditions to avoid: Avoid heat or contamination.

Incompatible Materials: No data available.

Hazardous Decomposition

Products:

No data available.

11. Toxicological information

Information on likely routes of exposure

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Ingestion: No data available.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Ingestion: No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product: Not classified for acute toxicity based on available data.

Revision Date: 12/17/2019

Specified substance(s):

Distillates (petroleum), hydrotreated light

LD 50 (Rat): > 5,000 mg/kg

White mineral oil (petroleum)

LD 50 (Rat): > 5,000 mg/kg

Dermal

Product: Not classified for acute toxicity based on available data.

Specified substance(s):

Distillates (petroleum), hydrotreated light

LD 50 (Rabbit): > 2,000 mg/kg

White mineral oil (petroleum)

LD 50 (Rabbit): > 2,000 mg/kg

Inhalation

Product: Not classified for acute toxicity based on available data.

Specified substance(s):

Butane LC 50: > 100 mg/l

LC 50: > 100 mg/l

Distillates (petroleum), hydrotreated light

LC 50: > 5 mg/l LC 50: > 20 mg/l

White mineral oil (petroleum)

LC 50 (Rat): > 5 mg/l LC 50: > 20 mg/l

Propane

LC 50: > 100 mg/l LC 50: > 100 mg/l

Repeated dose toxicity

Product: No data available.

Specified substance(s):

Butane LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation

Experimental result, Key study

NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation

Experimental result, Key study

Distillates (petroleum), hydrotreated light

NOAEL (Rat(Female, Male), Inhalation): >= 24 mg/m3 Inhalation

Experimental result, Key study

NOAEL (Rat(Female), Oral, 70 - 147 d): 750 mg/kg Oral Experimental result,

Key study

White mineral oil (petroleum)

NOAEL (Rat(Female, Male), Oral, 90 d): >= 20,000 ppm(m) Oral

Experimental result, Key study

NOAEL (Rabbit(Female, Male), Dermal): 1,000 mg/kg Dermal Read-across from supporting substance (structural analogue or surrogate), Key study LOAEL (Rat(Female, Male), Inhalation): 210 mg/m3 Inhalation Experimental

result, Key study

Propane NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation

Experimental result, Key study

LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation

Experimental result, Key study

Revision Date: 12/17/2019

Skin Corrosion/Irritation

Product: No data available.

Specified substance(s):

Distillates (petroleum),

hydrotreated light

in vivo (Rabbit): Not irritant Experimental result, Key study

White mineral oil (petroleum)

in vivo (Rabbit): Not irritant Experimental result, Key study

Serious Eye Damage/Eye Irritation

Product: No data available.

Specified substance(s):

Distillates (petroleum),

hydrotreated light

Rabbit, 24 - 72 hrs: Not irritating

White mineral oil (petroleum)

Rabbit, 24 - 72 hrs: Not irritating

Respiratory or Skin Sensitization

Product: No data available.

Specified substance(s):

Distillates (petroleum),

hydrotreated light

White mineral oil (petroleum)

Skin sensitization:, in vivo (Guinea pig): Non sensitising

Skin sensitization:, in vivo (Guinea pig): Non sensitising

Carcinogenicity

Product: No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product: No data available.

In vivo

Product: No data available.

Reproductive toxicity

No data available. **Product:**

Specific Target Organ Toxicity - Single Exposure

Product: No data available.

Revision Date: 12/17/2019

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Aspiration Hazard

Product: No data available.

Specified substance(s):

Distillates (petroleum), hydrotreated light

May be fatal if swallowed and enters airways.

White mineral oil May be fatal if swallowed and enters airways. (petroleum)

Other effects: No data available.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

Butane LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study

White mineral oil

(petroleum)

NOAEL (Oncorhynchus mykiss, 96 h): >= 100 mg/l Experimental result, Key

study

LL 50 (Oncorhynchus mykiss, 96 h): > 100 mg/l Experimental result, Key

study

Propane LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study

Siloxanes and Silicones,

di-Me

LC 50 (Redear sunfish (Lepomis microlophus), 96 h): 26.27 - 56.73 mg/l

Mortality

Aquatic Invertebrates

Product:

No data available.

Specified substance(s):

. Butane LC 50 (Daphnia sp., 48 h): 69.43 mg/l QSAR QSAR, Key study

White mineral oil

(petroleum)

NOAEL (Daphnia magna, 48 h): >= 100 mg/l Experimental result, Key study

Siloxanes and Silicones,

di-Me

LC 50 (Water flea (Daphnia magna), 48 h): 44.5 mg/l Mortality

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

Distillates (petroleum), hydrotreated light

NOAEL (Oncorhynchus mykiss): 0.098 mg/l QSAR QSAR, Key study

Revision Date: 12/17/2019

White mineral oil NOAEL (Oncorhynchus mykiss): >= 1,000 mg/l QSAR QSAR, Supporting

(petroleum) study

Aquatic Invertebrates

Product: No data available.

Specified substance(s):

White mineral oil (petroleum)

NOAEL (Daphnia magna): >= 1,000 mg/l QSAR QSAR, Supporting study

Toxicity to Aquatic Plants

Product: No data available.

Persistence and Degradability

Biodegradation

Product: No data available.

Specified substance(s):

Butane 100 % (385.5 h) Detected in water. Experimental result, Key study

Distillates (petroleum), hydrotreated light

61 % Detected in water. Experimental result, Supporting study

White mineral oil (petroleum)

31 % (28 d) Detected in water. Read-across from supporting substance

(structural analogue or surrogate), Supporting study

Propane 100 % (385.5 h) Detected in water. Experimental result, Key study

50 % (3.19 d) Detected in water. QSAR, Weight of Evidence study

BOD/COD Ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: No data available.

Partition Coefficient n-octanol / water (log Kow)

Product: No data available.

Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

Butane No data available.
Distillates (petroleum), No data available.

hydrotreated light

White mineral oil No data available.

(petroleum)

Propane No data available. Siloxanes and Silicones, di-No data available.

Ме

Other adverse effects: No data available.

13. Disposal considerations

Revision Date: 12/17/2019

Disposal instructions: Discharge, treatment, or disposal may be subject to national, state, or local

laws.

Contaminated Packaging: No data available.

14. Transport information

DOT

UN Number: UN 1950

UN Proper Shipping Name: Aerosols, flammable

Transport Hazard Class(es)

Class: 2.1
Label(s): Packing Group: II
Marine Pollutant: No
Environmental Hazards: No
Marine Pollutant No

Special precautions for user: Not regulated.

IMDG

UN Number: UN 1950

UN Proper Shipping Name: Aerosols, flammable

Transport Hazard Class(es)

Class: 2 Label(s): -

EmS No.:

Packing Group: -

Environmental Hazards: No Marine Pollutant No

Special precautions for user: Not regulated.

IATA

UN Number: UN 1950

Proper Shipping Name: Aerosols, flammable

Transport Hazard Class(es):

Class: 2.1
Label(s): Packing Group: Environmental Hazards: No

Marine Pollutant No

Special precautions for user: Not regulated.

15. Regulatory information

US Federal Regulations

Restrictions on use: Not known.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

<u>Chemical Identity</u> <u>Reportable quantity</u>

Revision Date: 12/17/2019

Butane lbs. 100 Propane lbs. 100

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Fire Hazard

Immediate (Acute) Health Hazards

Flammable aerosol Aspiration Hazard

SARA 302 Extremely Hazardous Substance

Reportable

Chemical Identity quantity Threshold Planning Quantity

Distillates (petroleum), hydrotreated light

SARA 304 Emergency Release Notification

<u>Chemical Identity</u> <u>Reportable quantity</u>

Butane lbs. 100

Distillates (petroleum),

hydrotreated light

Propane lbs. 100

SARA 311/312 Hazardous Chemical

Chemical Identity Threshold Planning Quantity

Butane 10000 lbs Distillates (petroleum), 10000 lbs

hydrotreated light

White mineral oil 10000 lbs

(petroleum)

Propane 10000 lbs Siloxanes and Silicones, 10000 lbs

di-Me

Acetic acid, phenylmethyl 10000 lbs

ester

SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130): Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3) US State Regulations

US. California Proposition 65

No ingredient requiring a warning under CA Prop 65.

US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity

Butane

Distillates (petroleum), hydrotreated light

White mineral oil (petroleum)

Propane

US. Massachusetts RTK - Substance List

No ingredient regulated by MA Right-to-Know Law present.

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity

Butane

Distillates (petroleum), hydrotreated light

White mineral oil (petroleum)

Propane

Revision Date: 12/17/2019

US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

International regulations

Montreal protocol

Distillates (petroleum), hydrotreated light

Stockholm convention

Distillates (petroleum), hydrotreated light

Rotterdam convention

Distillates (petroleum), hydrotreated light

Kyoto protocol

SDS_US - RE1000003607

Revision Date: 12/17/2019

Inventory Status:

Australia AICS: On or in compliance with the inventory

Canada DSL Inventory List:

On or in compliance with the inventory

Canada NDSL Inventory: Not in compliance with the inventory.

Ontario Inventory: On or in compliance with the inventory

China Inv. Existing Chemical Substances:

On or in compliance with the inventory

Japan (ENCS) List: Not in compliance with the inventory.

Japan ISHL Listing: Not in compliance with the inventory.

Japan Pharmacopoeia Listing: Not in compliance with the inventory.

Korea Existing Chemicals Inv. (KECI): Not in compliance with the inventory.

Mexico INSQ: Not in compliance with the inventory.

New Zealand Inventory of Chemicals: Not in compliance with the inventory.

Philippines PICCS: On or in compliance with the inventory

Taiwan Chemical Substance Inventory:

On or in compliance with the inventory

US TSCA Inventory: On or in compliance with the inventory

EINECS, ELINCS or NLP: Not in compliance with the inventory.

16.Other information, including date of preparation or last revision

Issue Date: 12/17/2019

Revision Information: No data available.

Version #: 1.0

Further Information: No data available.

Disclaimer: This information is provided without warranty. The information is believed to

be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.